Application No.: 10/749,478 Docket No.: 341148018US

<u>AMENDMENTS TO THE CLAIMS</u>

1-5. (Cancelled)

- 6. (Original) A system for locating a marker associated with a patient comprising:
 - an excitation source for emitting an exciting waveform during an excitation interval, said exciting waveform causing said marker to resonate;
 - a sensing coil that senses a magnetic flux from said resonating marker during a observation interval and outputs a receiver input; and
 - a receiver for analyzing said receiver input in a coherent manner.
- 7. (Original) The system of Claim 6 wherein said excitation source and said sensing coil repeats the emission of said exciting waveform and outputting of said receiver input for a plurality of iterations, said receiver operative to average a plurality of receiver inputs over a plurality of said observation intervals from said plurality of iterations prior to coherent analysis.
- 8. (Original) The system of Claim 6 wherein said exciting waveform is a triangular waveform.
- 9. (Original) A system for locating a marker associated with a patient comprising:
 - an excitation source for emitting an exciting waveform during an excitation interval, said exciting waveform causing said marker to resonate;
 - a sensing array that includes a plurality of sensing coils that each sense a magnetic flux from said resonating marker during a observation interval and outputs a plurality of receiver inputs; and

Application No.: 10/749,478 Docket No.: 341148018US

a receiver for analyzing said plurality of receiver inputs in a coherent manner.

- 10. (Original) The system of Claim 9 wherein said excitation source and said sensing coil repeat the emission of said exciting waveform and outputting of said plurality of receiver inputs for a plurality of iterations, said receiver operative to average multiple sets of said plurality of receiver inputs over a plurality of said observation intervals from said plurality of iterations prior to coherent analysis.
- 11. (Original) The system of Claim 9 wherein said exciting waveform is a triangular waveform.
- 12. (Original) A system for locating a marker associated with a patient comprising:
 - an excitation source for repetitively emitting an exciting waveform during an excitation interval, said exciting waveform causing said marker to resonate;
 - a sensing array including a plurality of sensing coils, said sensing coils outputting a plurality of inputs during a observation interval; and
 - a receiver for analyzing said plurality of inputs in a coherent manner.
- 13. (Original) The system of Claim 12 wherein said receiver averages multiple sets of said plurality of inputs over a plurality of said observation intervals prior to coherent analysis.

Application No.: 10/749,478 Docket No.: 341148018US

14-15. (Cancelled)

16. (Original) A system for locating a marker associated with a patient comprising:

an excitation source for emitting an exciting waveform at a first frequency, said exciting waveform causing said marker to resonate at a second frequency; a sensing array including a plurality of sensing coils, said sensing coils outputting a plurality of inputs indicative of a magnetic flux from said resonating marker; and

a receiver for analyzing said plurality of inputs in a coherent manner.